IN THE CLAIMS

Please cancel Claims 1-25.

Please add the following claims:

2

3

4

中岛山山丰中的中国中山山市山

(Added)

A system for treating hypothermia, comprising:

an inflatable cover;

an undersurface in the inflatable cover for expelling warmed air from the inflatable cover; and

a heater/blower assembly for inflating the inflatable cover and for maintaining the temperature of the warmed air expelled through the undersurface in the range of about 85°F to about 117°F.

(Added) The system of claim 26, further including a drape means formed near a periphery of the inflatable cover for trapping warmed air under the inflatable cover.

28. (Added) The system of claim 27, the inflatable cover having a base sheet, the undersurface being a surface of the base sheet, the drape means being an uninflatable extension of the base sheet.

- 29. The system of claim 27, the inflatable cover having an overlaying (Added) material sheet, the drape means being an uninflatable extension of the overlaying material sheet.
- 30. The system of claim 29, the inflatable cover having a base sheet (Added) attached to the overlaying material sheet, the undersurface being a surface of the base sheet, the drape means being an uninflatable extension of the overlaying material sheet and the base sheet.

(Added) The system of claim 26, wherein the undersurface includes an array 1 2 of apertures for expelling the warmed air.

SD\1285373.1

103806-156303

32

1

2

3

4

5

(Added)

A system for treating hypothermia, comprising:

an inflatable cover;

an undersurface in the inflatable cover for expelling air from the inflatable cover; and,

a heater/blower assembly for providing warmed air to inflate the inflatable cover and for maintaining the temperature of the warmed air in the range of about 113°F to about 121°F.

3. (Added) The system of claim 32, further including a drape means formed near apperiphety of the inflatable cover for trapping warmed air under the inflatable cover.

34. (Added) The system of claim 33, the inflatable cover having a base sheet, the undersurface being a surface of the base sheet, the drape means being an uninflatable extension of the base sheet.

35. (Added) The system of claim 33, the inflatable cover having an overlaying material sheet, the drape means being an uninflatable extension of the overlaying material sheet.

36. (Added) The system of claim 35, the inflatable cover having a base sheet attached to the overlaying material sheet, the under surface being a surface of the base sheet, the drape means being an uninflatable extension of the overlaying material sheet and the base sheet.

737. (Added) The system of claim 32, wherein the undersurface includes an array of apertures for expelling the air.

SD\1285373.1 103806-156303

2

(Added) A method for treating hypothermia in a patient, using an inflatable dévice, comprising: 2 deploying the inflatable device on a patient; inflating the inflatable device with air warmed to a temperature in the range of about 113°F to about 121°F; and, expelling warmed air through a surface of the inflatable device which faces the patient. (Added) The method of claim 38, further comprising maintaining the 39. temperature of the warmed air expelled through the surface in a range of about 85°F to about 117°F. 2 40. The method of claim 38, further comprising maintaining an average (Added) 1 =2 temperature of air under the surface in a range of about 103°F to about 112°F. The method of claim 38, further comprising exhausting warmed air (Added) out of at least one side of the inflatable device. A method for treating hypothermia in a patient, using an inflatable (Added) device, comprising: deploying the inflatable device on the patient; inflating the inflatable device with warmed air; and expelling warmed air in the range of about to about 117°F through a surface of the inflatable device which faces the patient. (Added) The method of claim 42, further comprising maintaining the average temperature of the warmed air expelled through the surface in a range of about 103°F to about 112°F.

SD\1285373.1 103806-156303

B

25